

Technical Sheet

Wintility Guard is an additional module for Wintility Pro. It allows users to assign a specific location(s) within their network to place documents that can only be accessed through Wintility.

Because the Wintility Pro environment creates references to documents stored throughout the network, documents outside of a Wintility Guard area can be accessed through both Wintility Pro and Windows Explorer (as long as they have permission from the network administrator).

When inside the Wintility Guard area, all other paths to the document, including Windows Explorer, are blocked and users must have permission to access them. Documents do not need to be moved to a separate repository.

You will need to install a program in the target computer to create the document server (included in the Master copy folder > **WGServer**). The Server module can be installed in any platform, Windows, Netware, Linux or Unix operating systems. Multiple Guard Areas can use the same server.

The network administrator must restrict Windows Explorer access to a specified area on the file server. Then, access to the documents will be through Wintility via the Wintility Guard server.

The Catalog administrator will define who in the workgroup has access to the documents.

Wintility is compatible with the e-mail programs Netscape Messenger 4.X/6.X, Outlook Express 4.X/5.X/6.X, Eudora 5.X and Microsoft Outlook.

Available only for POP3 protocol.

System Information:

Platforms: Windows 9X, 2000, NT 4.0, ME and XP.

Internet Explorer 4.0 or higher

Minimum Requirements:


Memory: 64 MB HD: 30 MB

Monitor: VGA resolution 256-colors

Recommended Requirements:

Memory: 128 MB HD: 80 MB

Monitor: VGA resolution 32K-colors



MASTER:

User database
Messages/communication tools

CLIENT:

Interface
User configuration

DOCUMENTS:

Documents
WCards

CATALOGS:

Document references
Auto Docs
Workflow paths
Wcard definition

WINTILITY GUARD:

Protected document server